

L Number	Hits	Search Text	DB	Time stamp
1	1789	single with head\$3 with piston	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/27 10:24
2	2201	double with head\$3 with piston	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/27 10:24
3	176	(single with head\$3 with piston) same (double with head\$3 with piston)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/27 10:25
4	19310	muffler	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/27 10:25
5	12	((single with head\$3 with piston) same (double with head\$3 with piston)) and muffler	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/27 10:25
-	2	("6077049").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/27 06:41
-	2099	(417/269).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/26 09:04
-	598	(417/540).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/26 09:04
-	1053	(417/312).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/26 09:04
-	639	(91/499).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/26 09:05
-	664	(92/71).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/26 09:05
-	348	(92/78).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/26 09:05
-	259067	compressor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/26 10:06

-	2161148	motor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/26 10:06
-	19310	muffler	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/26 10:28
-	76051	cylinder with block	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/26 10:07
-	581	muffler same (cylinder with block)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/26 10:07
-	143	compressor and motor and (muffler same (cylinder with block))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/26 10:07
-	5	("5000666" "6158974" "6213727" "6241483" "6290470").PN.	USPAT	2004/01/26 10:08
-	14	("3380651" "3998570" "4030405" "4231727" "4263814" "4285640" "4381178" "4408962" "4410252" "4413955" "4568252" "4732047" "4790727" "4820133").PN.	USPAT	2004/01/26 10:13
-	10	("3864801" "4070136" "4347046" "4544332" "4573881" "4610604" "4652217" "4768928" "4790727" "4820133").PN.	USPAT	2004/01/26 10:15
-	2	("5635687").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/26 10:19
-	19310	muffler	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/26 10:28
-	6	((417/271).CCLS.) and muffler	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/26 10:28
-	262	(417/271).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/26 10:31
-	1964	axial with piston with (swash\$1plate or (swash near1 plate) or swashplate)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/27 09:18
-	2161148	motor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/27 09:18

-	653	(axial with piston with (swash\$1plate or (swash near1 plate) or swashplate)) same motor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/27 09:24
-	10	("2177097" "3106057" "3396536" "3682044" "3733963" "4487109" "4493189" "4581980" "4896585" "5253576").PN.	USPAT	2004/01/27 09:24
-	34218	92/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/27 09:25
-	19310	muffler	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/27 09:25
-	108	92/\$.cccls. and muffler	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/27 09:38
-	29	(axial with piston with (swash\$1plate or (swash near1 plate) or swashplate)) and muffler	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/27 09:41
-	1789	single with head\$3 with piston	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/27 10:24
-	81	(axial with piston with (swash\$1plate or (swash near1 plate) or swashplate)) and (single with head\$3 with piston)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/27 10:06
-	7	((axial with piston with (swash\$1plate or (swash near1 plate) or swashplate)) and (single with head\$3 with piston)) and muffler	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/27 09:41
-	75	(single with head\$3 with piston) and muffler	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/27 10:05
-	5	("4526516" "5094590" "5173032" "5417552" "5486098").PN.	USPAT	2004/01/27 09:47
-	6	("4813852" "4820133" "5051069" "5236312" "5533871" "5645405").PN.	USPAT	2004/01/27 09:50
-	7	("3577891" "4274813" "4347046" "4360321" "4544332" "4583922" "4652217").PN.	USPAT	2004/01/27 09:57
-	2	4768928.URPN.	USPAT	2004/01/27 09:58
-	7	("4403921" "6095764" "6227812" "6241483" "6334759" "6354810" "6425741" "2001/0029837").PN.	USPAT	2004/01/27 10:00
-	17	(single with head\$3 with piston) and muffler	USOCR	2004/01/27 10:05
-	6	(axial with piston with (swash\$1plate or (swash near1 plate) or swashplate)) and (single with head\$3 with piston)	USOCR	2004/01/27 10:06